39 AYER ROAD, LITTLETON, MASSACHUSETTS

WWW.LELWD.COM


MASSDEP PWSID# 2158000

This report is a snapshot of the drinking water quality that the Littleton Electric Light and Water Departments (LELWD) provided last year. Included are details about where your water comes from, what it contains, and how it compares to state and federal standards. We are committed to keeping you informed about the quality of your drinking water.

## **Water System Improvements**

Our water system is routinely inspected by the Massachusetts Department of Environmental Protection (MassDEP). MassDEP inspects our system for its technical, financial, and managerial capacity to provide safe drinking water to you. To ensure that we provide the highest quality of water available, your water system is operated by a Massachusetts certified operator who oversees the routine operations of our system. As part of our ongoing commitment to you, last year we initiated the following improvements to our system:

- Continued construction of the Littleton Water Resource and Recovery Facility (WRRF) and sewer collection system to support local development and protect the aquifer's water quality.
- Started installation of a 4.5-mile stretch of water main to connect systems in Boxborough facing contamination challenges.
- Bolstered Littleton's drinking water supply capacity by permitting and beginning construction of the Trumbull Well and transmission main.
- Began oversight of the Foster Street water main replacement, removing >50-year-old asbestos cement pipe with new ductile iron main.





## **Your Drinking Water Source**

#### Where does my Drinking Water Come From?

Your water is provided by the following sources listed below:

Source Name	MassDEP Source ID#	Source Type	Location Of Source
Spectacle Pond Well	2158000-04G	Groundwater	686 Great Road
Whitcomb Wells	2158000-02G, 08G	Groundwater	76 Whitcomb Ave
Beaver Brook Wells	2158000-05G, 06G, 07G	Groundwater	519 Great Road

In case of emergencies, the LWD maintains interconnections with the Westford, Ayer, and Acton water utilities.

#### **Opportunities for Public Participation**

If you would like to participate in discussions regarding your water quality, you may attend one of our monthly Commissioners' Meetings, held on the first Wednesday of each month in the LELWD Operations Center at 39 Ayer Road.

#### **Public Water System Information**

Address: 39 Ayer Road, Littleton, Massachusetts

Contact: Tyler O'Brien, Operations Coordinator, (978) 540-2286

#### **Source Water Protection**

The Town of Littleton integrates landuse planning, environmental audits, and groundwater monitoring in an aggressive and comprehensive aquifer and watershed protection program. Begun in 1981, much of the success of the program is due to a cooperative relationship between community planners and industrial and commercial developments.

One important factor in the program's success has been the water department's effort to foster a cooperative partnership with the business community. Through communication, assistance, and non-adversarial monitoring, the program has become a close environmental partner and consultant to local industries and businesses.

Because of its effectiveness, the program has been recognized as a model for the development of wellhead protection strategies in many New England communities. As part of this program, more than 100 groundwatermonitoring stations are located at over 30 properties within the community and are maintained and sampled by the water department. All compliance - monitoring costs are borne by the regulated bodies.

In addition, LWD environmental personnel conduct environmental audits of regulated facilities to ensure compliance with Littleton's Aquifer and Water Resource Protection Bylaws and other state and federal regulations. This typically consists of a walk-through inspection to assess the environmental liability of products at the site, with recommendations offered for safe storage and handling procedures.


Residents can assist in protecting the groundwater by practicing good septic system maintenance, such as pumping out their septic tank every two years, and not using the septic system to dispose of solvents and paints. Limiting the use of pesticides, herbicides and fertilizers on lawns will also help. Participating in hazardous waste collection also helps reduce the potential improper disposal of hazardous materials.

## Is My Water Treated?

Our water system makes every effort to provide you with safe and pure drinking water. To improve the quality of the water delivered to you, we treat it to remove several contaminants.

- We add a disinfectant to protect you against microbial contaminants.
- We filter the water to remove small particles and organisms such as sediment, algae and bacteria.
- We chemically treat the water to reduce lead and copper concentrations.
- We chemically and biologically treat the water to reduce levels of iron and manganese

The water quality of our system is constantly monitored by us and MassDEP to determine the effectiveness of existing water treatment and to determine if any additional treatment is required.



The use of chlorine in drinking water treatment has saved millions of American lives since it was first introduced in 1908 to combat waterborne diseases like cholera, typhoid fever, and dysentery. Today, the vast majority of public water systems in the United States use chlorine to ensure that their customers are protected from these and other waterborne diseases.

Here in Littleton, we add low doses of chlorine to the water at all of our treatment plants to ensure that the water delivered to your tap is free from bacteria and other potential disease-causing organisms.

In addition to its disinfection abilities, chlorine also oxidizes many contaminants from their dissolved to particulate, or solid, forms, making removal easier. For example, at our Beaver Brook Treatment Facility, we use chlorine to convert dissolved iron and manganese to their particulate forms, which can then be removed through a filtration process to further purify your water.

As part of a multi-barrier approach to ensuring safe drinking water, chlorine treatment is the critical second line of defense after our award-winning source water protection program that minimizes the potential for contamination of our wells from surrounding land uses.


## **How Are These Sources Protected?**

MassDEP has prepared a Source Water Assessment Program (SWAP) Report for the water supply sources serving this water system. The SWAP Report assesses the susceptibility of public water supplies.

# What Is My System's Ranking?

A susceptibility ranking of high was assigned to this system using the information collected during the assessment by MassDEP. Susceptibility is a measure of water supply's potential to become contaminated due to land uses and activities within its recharge area. The growth of industrial, commercial and residential development in Littleton is the main cause for this ranking. As stated in the sidebar, we have a comprehensive source water protection program and are continuously monitoring contaminant levels, disinfecting, filtering, or treating water to ensure LWD water sources meet safe drinking water standards.


## Where Can I See The SWAP Report?



The complete SWAP report is available at the Littleton Water Department and online at:

www.mass.gov/doc/littleton-water-department-swap-report/download

For more information, call Joshua Walsh at (978) 540-2283.



#### **Important Definitions**

#### Maximum Contaminant Level (MCL)

- The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The level of a contaminant in drinking water below which there is no known or expected risk to health.

MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) - The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant
Level Goal (MRDLG) - The level of a
drinking water disinfectant below which
there is no known or expected risk to
health. MRDLGs do not reflect the
benefits of the use of disinfectants to
control microbial contamination.

**Action Level (AL)** - The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

#### Modified Reporting Limit (MRL) -

The final reporting limit that applies to the sample once all sample preparation and/or dilution factor has been applied.

**90th Percentile** - Out of every 10 homes sampled, 9 were at or below this level. This number is compared to the action level to determine lead and copper compliance.

Secondary Maximum Contaminant Level (SMCL) – These standards are developed to protect aesthetic qualities of drinking water and are not health based.

Health Advisory (HA) - Health advisories provide information on contaminants that can cause human health effects and are known or anticipated to occur in drinking water. EPA's health advisories are non-enforceable and non-regulatory and provide technical information to states agencies and other public health officials on health effects, analytical methodologies, and treatment technologies associated with drinking water contamination.

## **Substances Found In Tap Water**

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.



Contaminants that may be present in source water include:

**Microbial contaminants,** such as viruses and bacteria, may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.

**Inorganic contaminants** such as salts and metals, which can be naturally occurring or result from urban stormwater runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming.

**Pesticides and herbicides**, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.

**Organic chemical contaminants**, including synthetic and volatile organic chemicals, are byproducts of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems.

**Radioactive contaminants**, which can be naturally occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, the U. S. Environmental Protection Agency (EPA) and MassDEP prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. The Food and Drug Administration (FDA) and Massachusetts Department of Public Health (DPH) regulations establish limits for contaminants in bottled water that must provide the same protection for public health. Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline (1-800-426-4791).

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/Centers for Disease Control and Prevention (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

Lead can cause serious health effects in people of all ages, especially pregnant people, infants (both formula-fed and breastfed), and young children. Lead in drinking water is primarily from materials and parts used in service lines and home plumbing. LWD is responsible for providing high quality drinking water and removing lead pipes but cannot control the variety of materials used in the plumbing in your home. Because lead levels may vary over time, lead exposure is possible even when your tap sampling results do not detect lead at one point in time. You can help protect yourself and your family by identifying and removing lead materials within your home plumbing and taking steps to reduce your family's risk. Using a filter, certified by an American National Standards Institute accredited certifier to reduce lead, is effective in reducing lead exposures.

Follow the instructions provided with the filter to ensure the filter is used properly. Use only cold water for drinking, cooking, and making baby formula. Boiling water does not remove lead from water. Before using tap water for drinking, cooking, or making baby formula, flush your pipes for several minutes. You can do this by running your tap, taking a shower, doing laundry or a load of dishes. If you have a lead service line or galvanized requiring replacement service line, you may need to flush your pipes for a longer period. If you are concerned about lead in your water, and wish to have your water tested, contact Tyler O'Brien at (978) 540-2286. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available at <a href="https://www.epa.gov/safewater/lead">https://www.epa.gov/safewater/lead</a>.

#### **Important Definitions**

(Continued)

Office of Research and Standards
Guideline (ORSG) - This is the
concentration of a chemical in drinking
water at or below which adverse health
effects are unlikely to occur after chronic
(lifetime) exposure. If exceeded, it
serves as an indicator of the potential
need for further action.

ppm = parts per million or milligram per liter (mg/L)

ppb = parts per billion or micrograms
per liter (ug/L)

ppt = parts per trillion or nanograms per liter (ng/L)

**pCi/l** = picocuries per liter (a measure of radioactivity)

mrem/year = millirems per year (a
measure of radiation absorbed by the
body)

N/A = Not Applicable

# What Is A Cross Connection? What Can I Do About It?

A cross connection is an actual or potential connection between a drinking water pipe and a polluted source. The pollution can come from your own home. For instance, a lawn fertilizer sprayer connected to a hose can cause fertilizer to be pulled into the home's water pipes and into the water system if the pressure suddenly drops, which could happen with the use of a fire hydrant. Using a back-flow prevention device can prevent this problem.




CLEAN DRINKING WATER

LWD recommends the installation of back-flow prevention devices, such as a low-cost hose bib vacuum breaker, for all inside and outside hose connections. They are available at hardware or plumbing supply stores. This is a great way for you to help protect the water in your home as well as the drinking water system in your town.

For additional information on cross connections and on the status of your water system's cross connection program, please contact Matt Silverman at (978) 540-2260.

### **Water Conservation**



On June 18<sup>th</sup>, 2024, all non-essential outdoor watering was prohibited to conserve water due to a Level 1 Drought declaration by the state and terminated on October 1<sup>st</sup>, 2024.

Please visit www.lelwd.com/water-ban-in-effect/ to view further details related to the outdoor watering ban and enroll in our Community Notification System at

https://public.coderedweb.com/CNE/en-US/458D14D27696 to ensure you receive the latest information on water use restrictions, water main breaks, power outages, and other emergency situations.

Whether a ban is in effect or not, we ask that all residents apply sound conservation practices throughout the season to help us preserve the groundwater table. If the groundwater conditions change or a drought advisory must be declared, certain water uses, including outdoor watering, could become restricted.

#### Please do your part by following outdoor water conservation tips:



- Lawn Care Allow your grass to grow taller in hot, dry weather. Longer grass means less evaporation and will encourage roots to grow deeper leaving your lawn more drought tolerant.
- Lawn Watering Daytime watering is costly and wasteful. Water in the early morning or evening when evaporation rates are lowest. One inch of water per week is all that is generally necessary to maintain your lawn. Avoid overwatering by using a rain gauge or coffee can to measure the volume of water being applied. As a general rule, lawns only need watering every five to seven days in the summer. A hearty rain eliminates the need for watering for as long as two weeks.
- Car Washing Use a bucket to wash. Keep a nozzle on your hose. Do not let water run when not in use.
- **Pool** Use a pool cover to keep water clean and reduce evaporation.
- **General Maintenance** Use a broom instead of a water hose to clear debris from patios, driveways, and sidewalks.
- Landscaping Plant trees to provide shade; decrease lawn area; use drought-resistant shrubs; increase areas of ground cover; spread mulch.
- **Valves and Hoses** Check outdoor pipes, hoses, and faucets for leaks.

## What Does This Data Represent?

The water quality information presented in the tables is from the most recent round of testing done in accordance with the regulations. All data shown was collected during the last calendar year unless otherwise noted in the tables. MassDEP has reduced the monitoring requirements for synthetic organic contaminants and nitrites because the source is not at risk of contamination. The last sample collected for these contaminants was taken in 2022 and met all applicable EPA and MassDEP standards. Only the detected contaminants are shown.

Water Quality Testing Results							
Regulated Contaminant	Dates Collected	90th Percentile	Action Level	MCLG	# of Sites Sampled	# of Sites Above Action Level	Possible Sources of Contamination
Lead (ppb)	2024	1.1	15	0	40	0	Corrosion of household plumbing systems; Erosion of natural deposits.
Copper (ppm)	2024	0.29	1.3	1.3	40	0	Corrosion of household plumbing systems; Erosion of natural deposits; Leaching from wood preservatives.
Regulated Contaminant	Dates Collected	Highest Result or Running AVG detected	Range Detected	MCL or MRDL	MCLG or MRDLG	Violation (Y/N)	Possible Sources of Contamination
Inorganic Contaminants	5				ı		
Arsenic (ppb)	2024	1.3	N/A	10	0	N	Erosion of natural deposits; Runoff from orchards; Runoff from glass and electronics production wastes.
Barium (ppm)	2024	0.027	0.019 - 0.027	2	2	N	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits.
Nitrate (ppm)	2024	0.74	0.73 - 0.74	10	10	N	Runoff from fertilizer use, leaching from septic tanks; sewage; erosion of natural deposits.
Perchlorate	2024	0.1	0.053 - 0.1	2	N/A	N	Rocket propellants, fireworks, munitions, flares, blasting agents.
Volatile Organic Contam	ninants			•	ī		
Tetrachloroethylene (ppb)	2024	0.7	0.22 - 0.7	5	0	N	Discharge from factories, dry cleaners, and asbestos cement lined pipes.
Radioactive Contaminar	nts						
Gross Alpha (pCi/L)	2024	3.3	1.4 - 3.3	15	0	N	Erosion of natural deposits.
Radium 226 and 228 (pCi/L) (combined values)	2024	0.5	0.4 - 0.5	5	0	N	Erosion of natural deposits.
Disinfectants and Disinf	ection By-Prod	lucts					
Total Trihalomethanes (TTHMs) (ppb)	2024	16	N/A	80	N/A	N	Byproduct of drinking water chlorination.
Haloacetic Acids (HAA5) (ppb)	2024	16	N/A	60	N/A	N	Byproduct of drinking water chlorination.
Chlorine (ppm) (free) <sup>(1)</sup>	Monthly in 2024	0.38 (2)	0.01 - 0.78	4	4	N	Water additive used to control microbes.
Per- and Polyfluoroalky	l Substances				L		
PFAS6 (ppt) <sup>(3)</sup>	2024	9.01 <sup>(4)</sup>	N/A	20	N/A	N	Discharges and emissions from industrial and manufacturing sources associated with the production or use of these PFAS, including production of moisture and oil-resistant coatings on fabrics and other materials. Additional sources include the use and disposal of products containing these PFAS, such as fire-fighting foams.

- (1) Chlorine: Part of these may be unregulated, part regulated.
- (2) Highest Running Annual Average (RAA) = highest running average of four consecutive quarters of data.
- (3) PFAS6 (ppt): This value represents the sum of the six PFAS compounds included in the Massachusetts Maximum Contaminant Level of 20 ppt. The MMCL includes Perfluorooctane Sulfonic Acid (PFOS), Perfluorooctanoic Acid (PFOA), Perfluorohexane Sulfonic Acid (PFHxS), Perfluorononanoic Acid (PFNA), Perfluoroheptanoic Acid (PFHpA), and Perfluorodecanoic Acid (PFDA).
- (4) Only values that exceed MRL (Modified Reporting Limit) are included in detection result or range. This does not include values with J-Qualifiers from lab reports as these values are estimated.

Unregulated contaminants are those for which the EPA has not established drinking water standards. The purpose of unregulated monitoring is to assist the EPA in determining their occurrence in drinking water and whether future regulation is warranted.

Unregulated and Secondary Contaminants	Dates Collected	Results or Range Detected	Average Detected	SMCL	ORSG	Possible Sources of Contamination		
Per- and Poly Fluoroalkyl Substances								
Perfluorohexanoic Acid (PFHxA) (ppt)	2024	2.31 <sup>(4)</sup>	2.31	N/A <sup>(5)</sup>	N/A <sup>(5)</sup>	Manmade chemical; breakdown product of stain- and grease-proof coatings on food packaging and household products		
Inorganic Contaminants								
Sodium (ppm) <sup>(6)</sup>	2024	47.6 - 54.0	50.8	N/A <sup>(5)</sup>	20	Discharge from the use and improper storage of sodium-containing de-icing compounds or in water softening agents.		
Other Organic Contamina	Other Organic Contaminants - When Detected at Treatment Plant as VOC residuals, Not TTHM Compliance							
Bromodichloromethane (ppb)	2024	1.2	1.2	N/A <sup>(5)</sup>	N/A <sup>(5)</sup>	Trihalomethane; Byproduct of drinking water chlorination.		
Chlorodibromomethane (ppb)	2024	1.2	1.2	N/A <sup>(5)</sup>	N/A <sup>(5)</sup>	Trihalomethane; Byproduct of drinking water chlorination.		
Chloroform (ppb)	2024	0.6	0.6	N/A <sup>(5)</sup>	70	Trihalomethane; Byproduct of drinking water chlorination.		

- (5) There is no SMCL or ORS Guideline.
- (6) Sodium sensitive individuals, such as those experiencing hypertension, kidney failure, or congestive heart failure, should be aware of the sodium levels where exposures are being carefully controlled.

# **UCMR5 Sampling Results Availability:**


In late 2024, the Littleton Water Department was selected to sample for the Fifth Unregulated Contaminant Monitoring Rule (UCMR5) program. The UCMR5 program is a part of the Safe Drinking Water Act that requires the EPA to issue a list of unregulated contaminants. The EPA then requires public water systems to sample for the contaminants in this list. For the UCMR5 program of 2024, the list of chemicals focused on 29 Per- and Poly Fluoroalkyl Substances (PFAS) and lithium. From there, the EPA can determine the health risks of these chemicals and if further regulations are needed in order to protect public health.

Water leaving the Whitcomb Avenue Treatment Plant was tested, and the results were reported at non-detectable levels for each of these compounds. These results reflect the effectiveness of the granular activated carbon filters installed at the plant to eliminate and remove PFAS from the treated water. For a copy of the results or if you have any questions pertaining to the results, please call (978) 540-2283 for more details.

## **Understanding The Service Line Inventory:**

With the implementation of the Lead and Copper Rule Improvements, public water utilities around the country needed to create an inventory of all service materials by October 16<sup>th</sup>, 2024. This inventory needed to include materials for both the private side and public side of the water service (see picture to the right).

Through historical document review, resident provided surveys, and physical inspections, the Littleton Water Department completed its initial survey. The survey can be viewed upon request (call (978) 540-2283) and will be continuously updated as more service lines are inspected.



# **Department Updates:** Flowing Forward: The Boxborough Extension Project

Littleton is making strategic improvements to the water system, including a carefully planned extension of water service into the neighboring community of Boxborough. This initiative reflects a shared commitment to public health and long-term resource planning.

Coupled with this effort, LELWD has been able to pursue infrastructure upgrades, like the development of the Trumbull Well on Taylor Street and replacement of water main on Whitcomb Ave, which enhance groundwater supply and overall resilience. These improvements became feasible through collaboration and support from many stakeholders, and a significant portion of the project cost is being funded externally to reduce the burden on local ratepayers.

While the project offers vital support to our neighbors, the majority of the benefits—including increased flow capacity and system flexibility—remain right here in Littleton. This solution is a balanced investment in our shared water future.



## **Celebrating Our Community Champions**



We are proud to recognize recent awards given to the Department and two model employees here at LELWD.

The Massachusetts Water Works Association (MWWA) awarded LELWD with the 2024 MWWA Community Award for the department's commitment to removing Per and Polyfluoroalkyl Substances (PFAS) and providing clean drinking water to the town. This award is designated to water systems that exemplify the highest standard of water works practices, and we are proud to be its recipient! Matt Silverman (left), the Water & Sewer Superintendent, received the award on behalf of the department.

Additionally, two employees, Paul Denaro (middle) and Allan Woitowicz (right) were selected to win the Water Works Pride Award from the MWWA for their mutual aid work in 2022. Both Paul and Allan travelled to Jackson, Mississippi, which was experiencing significant water infrastructure issues due to intense storms and floods in the region. When the call was received, Paul and Allan answered and provided their expertise as water professionals to assist the town of Jackson with repairs and replacement of crucial water infrastructure. We commend both Paul and Allan for their dedication to our industry and are proud to have them as part of the LELWD team.

### A Thank You To Our Customers

As a department, we understand the inconvenience caused by the ongoing construction projects around town, and that these developments may disrupt daily routines and cause frustration. We truly appreciate your patience and understanding during this time. Our goal is to improve the community's infrastructure, and we are committed to completing these projects as efficiently as possible. We would like to express our gratitude for your continued support and cooperation. Please know that we are doing everything we can to minimize disruptions, maintain open and frequent communication, and complete the work with minimal impact to community activities.



Postal Patron or Boxholder Littleton, MA, 01460

